

L Number	Hits	Search Text	DB	Time stamp
-	1	"20040010507"	USPAT; US-PGPUB	2004/05/18 16:37
-	1	"20030131215"	USPAT; US-PGPUB	2004/05/17 14:03
-	0	"Bellew M.in."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 12:42
-	0	"Bellew.in."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 12:42
-	105	Bellew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 12:42
-	42	Bellew.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 12:43
-	0	"WESTSIDE CORPORATION".as.	USPAT; US-PGPUB	2004/05/14 17:47
-	0	"Westside Corporation".as.	USPAT; US-PGPUB	2004/05/14 17:47
-	1	"Westside".as.	USPAT; US-PGPUB	2004/05/14 17:47
-	0	(Westside adj1 Corporation).as.	USPAT; US-PGPUB	2004/05/14 17:48
-	20219	707/\$.ccls.	USPAT; US-PGPUB	2004/05/17 14:14
-	16652	"relational database\$" or SQL or "structured query language\$" or "Microsoft Access"	USPAT; US-PGPUB	2004/05/20 18:34
-	5964	707/\$.ccls. and ("relational database\$" or SQL or "structured query language\$" or "Microsoft Access")	USPAT; US-PGPUB	2004/05/18 11:40
-	5078	"relational database\$" and (SQL or "structured query language\$")	USPAT; US-PGPUB	2004/05/20 18:35
-	2734	("relational database\$" and (SQL or "structured query language\$")) and 707/\$.ccls.	USPAT; US-PGPUB	2004/05/17 14:32
-	123	((("relational database\$" and (SQL or "structured query language\$")) and 707/\$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((target basis) near3 table)	USPAT; US-PGPUB	2004/05/17 16:30
-	17	((("relational database\$" and (SQL or "structured query language\$")) and 707/\$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((target near3 table) and (basis near3 table))	USPAT; US-PGPUB	2004/05/17 14:47
-	4	((("relational database\$" and (SQL or "structured query language\$")) and 707/\$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((target adj1 table) and (basis adj1 table))	USPAT; US-PGPUB	2004/05/17 14:42

-	9	((("relational database\$" and (SQL or "structured query language\$")) and 707/\$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((target near3 table) and (basis near3 table)) and ((pars\$3 break\$3 formulat\$3) near3 (input query))	USPAT; US-PGPUB	2004/05/17 14:51
-	434	((("relational database\$" and (SQL or "structured query language\$")) and 707/\$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table	USPAT; US-PGPUB	2004/05/17 17:50
-	5	(US-5930795-\$ or US-5717919-\$ or US-5937401-\$ or US-6609123-\$ or US-6681230-\$).did.	USPAT	2004/05/17 16:34
-	5	((("relational database\$" and (SQL or "structured query language\$")) and 707/\$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((US-5930795-\$ or US-5717919-\$ or US-5937401-\$ or US-6609123-\$ or US-6681230-\$).did.)	USPAT; US-PGPUB	2004/05/17 17:35
-	0	((("relational database\$" and (SQL or "structured query language\$")) and 707/\$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((US-5930795-\$ or US-5717919-\$ or US-5937401-\$ or US-6609123-\$ or US-6681230-\$).did.) and (designat\$3 adj1 (field data))	USPAT; US-PGPUB	2004/05/17 17:36
-	3	((("relational database\$" and (SQL or "structured query language\$")) and 707/\$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((US-5930795-\$ or US-5717919-\$ or US-5937401-\$ or US-6609123-\$ or US-6681230-\$).did.) and (designat\$3 same (field data))	USPAT; US-PGPUB	2004/05/17 17:39
-	5	((("relational database\$" and (SQL or "structured query language\$")) and 707/\$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((US-5930795-\$ or US-5717919-\$ or US-5937401-\$ or US-6609123-\$ or US-6681230-\$).did.) and ((designat\$3 assign\$2 specified) same (field data))	USPAT; US-PGPUB	2004/05/17 17:40
-	4442	707/\$.ccls. and ("relational database\$")	USPAT; US-PGPUB	2004/05/17 17:49
-	42	(707/\$.ccls. and ("relational database\$")) and ((looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) adj1 (field key record data)) and ("tables" or (second adj3 table))	USPAT; US-PGPUB	2004/05/17 17:52
-	19	("5222235" "5257366" "5280612" "5317742" "5367675" "5396623" "5408654" "5430871" "5432933" "5440692" "5446885" "5619713" "5630127" "5671403" "5692174" "5692182" "5706506" "5742810" "5875334").PN.	USPAT	2004/05/17 18:03
-	5336	707/\$.ccls. and relational	USPAT; US-PGPUB	2004/05/18 11:40
-	11120	relational and database and table	USPAT; US-PGPUB	2004/05/18 11:42
-	4495	(relational and database and table) and 707/\$.ccls.	USPAT; US-PGPUB	2004/05/18 11:42
-	759	((relational and database and table) and 707/\$.ccls.) and ((input\$3 select\$3) near2 field)	USPAT; US-PGPUB	2004/05/18 11:44

-	578	((relational and database and table) and 707/\$.ccls.) and ((input\$3 select\$3) adj2 field)	USPAT; US-PGPUB	2004/05/18 11:44
-	281	((relational and database and table) and 707/\$.ccls.) and ((input\$3 select\$3) adj2 field)) and (look\$up looked\$up "look up" "looked up" (foreign adj1 key))	USPAT; US-PGPUB	2004/05/18 11:46
-	236	((relational and database and table) and 707/\$.ccls.) and ((input\$3 select\$3) adj2 field)) and ((look\$up looked\$up "look up" "looked up" (foreign adj1 key)) with (table field data record))	USPAT; US-PGPUB	2004/05/18 11:46
-	17	((relational and database and table) and 707/\$.ccls.) and ((input\$3 select\$3) adj2 field)) and ((look\$up looked\$up "look up" "looked up" (foreign adj1 key)) with (table field data record))) and (concatenat\$3 near2 field)	USPAT; US-PGPUB	2004/05/18 11:48
-	1	"Data Modeling Record"	USPAT; US-PGPUB	2004/05/18 16:39
-	3	"Data Modeling" near2 record	USPAT; US-PGPUB	2004/05/18 16:41
-	168	"Data Modeling" near2 (record field data)	USPAT; US-PGPUB	2004/05/18 16:41
-	9	"Data Modeling" near2 (record field)	USPAT; US-PGPUB	2004/05/18 16:42
-	187	(Data adj1 Model\$3) near2 (table)	USPAT; US-PGPUB	2004/05/18 16:42
-	103	((Data adj1 Model\$3) near2 (table)) and ((multi\$link\$5 link\$5 multi\$part\$1 multi) with (field table))	USPAT; US-PGPUB	2004/05/18 16:46
-	86	((Data adj1 Model\$3) near2 (table)) and ((multi\$link\$5 link\$5 multi\$part\$1 multi) with (field table))) and (user near2 (input\$1 select\$3))	USPAT; US-PGPUB	2004/05/18 16:58
-	7	((Data adj1 Model\$3) near2 (table)) and ((multi\$link\$5 link\$5 multi\$part\$1 multi) with (field table))) and (user near2 (input\$1 select\$3)) and (concatenat\$3 near2 (table field record))	USPAT; US-PGPUB	2004/05/19 15:37
-	79	((Data adj1 Model\$3) near2 (table)) and ((multi\$link\$5 link\$5 multi\$part\$1 multi) with (field table))) and ((user with (input\$1 select\$3 choos\$3 choice)) same (field record data))	USPAT; US-PGPUB	2004/05/18 18:56
-	1	"20030120659"	USPAT; US-PGPUB	2004/05/18 18:57
-	15	(US-5603025-\$ or US-5367675-\$ or US-6374241-\$ or US-6609123-\$ or US-5842212-\$ or US-6058391-\$ or US-5717919-\$ or US-6681230-\$ or US-5617567-\$ or US-5937401-\$ or US-5930795-\$ or US-5615367-\$ or US-6345278-\$ or US-6721751-\$).did. or (US-20020013779-\$).did.	USPAT; US-PGPUB	2004/05/19 14:40
-	349	(basis near2 table) and (target near2 table)	USPAT; US-PGPUB	2004/05/19 17:51
-	82	((basis near2 table) and (target near2 table)) and (relation\$ adj1 database)	USPAT; US-PGPUB	2004/05/19 17:51
-	40	((basis near2 table) and (target near2 table)) and (relation\$ adj1 database)) and (SQL near2 statement)	USPAT; US-PGPUB	2004/05/19 16:52
-	15	((basis near2 table) and (target near2 table)) and (relation\$ adj1 database)) and (generat\$3 same(SQL near2 statement))	USPAT; US-PGPUB	2004/05/19 16:53
-	59	(basis near2 table) same (target near2 table)	USPAT; US-PGPUB	2004/05/19 18:29
-	21	((basis near2 table) same (target near2 table)) and (relation\$ adj1 database)	USPAT; US-PGPUB	2004/05/19 18:24
-	44	((basis near2 table) same (target near2 table)) and (relation\$)	USPAT; US-PGPUB	2004/05/19 18:24

-	22321	((basis derived)near2 table)	USPAT; US-PGPUB	2004/05/19 19:00
-	11312	relation\$2 adj1 database	USPAT; US-PGPUB	2004/05/19 18:31
-	8	((basis derived)near2 table)) same (("foreign key" or look\$2?up) near2 field)	USPAT; US-PGPUB	2004/05/19 19:01
-	52	((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary)))	USPAT; US-PGPUB	2004/05/19 19:03
-	45	((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary))) and (relation\$2 adj1 database)	USPAT; US-PGPUB	2004/05/19 19:04
-	2	((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary))) and (relation\$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and ((data adj1 dictionary) same (identif\$7 near2 table))	USPAT; US-PGPUB	2004/05/19 19:09
-	2	((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary))) and (relation\$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and ((data adj1 dictionary) same (identif\$7 near2 table))	USPAT; US-PGPUB	2004/05/19 19:09
-	1	((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary))) and (relation\$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and ((data adj1 dictionary) same (identif\$7 near2 field))	USPAT; US-PGPUB	2004/05/19 19:09
-	2	((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary))) and (relation\$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and ((data adj1 dictionary) same (identif\$7 same field))	USPAT; US-PGPUB	2004/05/19 19:10
-	44	((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary))) and (relation\$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))	USPAT; US-PGPUB	2004/05/19 19:10
-	10	((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary))) and (relation\$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and (data adj1 dictionary)	USPAT; US-PGPUB	2004/05/19 19:11
-	3	((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary))) and (relation\$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and ((data adj1 dictionary) same identif\$7)	USPAT; US-PGPUB	2004/05/19 19:11

-	19	(US-6681230-\$ or US-6609123-\$ or US-5937401-\$ or US-5930795-\$ or US-5717919-\$ or US-5617567-\$ or US-6721751-\$ or US-6345278-\$ or US-6058391-\$ or US-5842212-\$ or US-5367675-\$ or US-6374241-\$ or US-5615367-\$ or US-5603025-\$ or US-4918593-\$).did. or (US-20040010507-\$ or US-20030131215-\$ or US-20020013779-\$ or US-20040015783-\$).did.	USPAT; US-PGPUB	2004/05/20 15:23
-	19	(US-6681230-\$ or US-6609123-\$ or US-5937401-\$ or US-5930795-\$ or US-5717919-\$ or US-5617567-\$ or US-6721751-\$ or US-6345278-\$ or US-6058391-\$ or US-5842212-\$ or US-5367675-\$ or US-6374241-\$ or US-5615367-\$ or US-5603025-\$ or US-4918593-\$).did. or (US-20040010507-\$ or US-20030131215-\$ or US-20020013779-\$ or US-20040015783-\$).did.	USPAT; US-PGPUB	2004/05/20 15:23
-	1	20020013779.pn. and (data same (divid\$3 or break\$3 or separat\$5 or split\$4 or component))	USPAT; US-PGPUB	2004/05/20 16:56
-	1	20020013779.pn. and (data with schem\$4 with plural\$4)	USPAT; US-PGPUB	2004/05/20 17:47
-	1	20020013779.pn. and (dereferenc\$3 referenc\$3)	USPAT; US-PGPUB	2004/05/20 18:02
-	1	20020013779.pn. and (generat\$3 with (SQL near2 statement))	USPAT; US-PGPUB	2004/05/20 18:03
-	1	20020013779.pn. and (generat\$3 with (SQL and statement))	USPAT; US-PGPUB	2004/05/20 18:18
-	1	20020013779.pn. and (enumerat\$3)	USPAT; US-PGPUB	2004/05/20 18:18
-	1	(US-20040010507-\$).did.	US-PGPUB	2004/05/20 18:20
-	1	((US-20040010507-\$).did.) and enumerat\$3	USPAT; US-PGPUB	2004/05/20 18:34
-	11214	"relational database\$"	USPAT; US-PGPUB	2004/05/20 18:35
-	5065	"relational database\$" and SQL	USPAT; US-PGPUB	2004/05/20 18:36
-	0	("relational database\$" and SQL) and ((SELECT near3 FROM) same (clause statement quer\$3 command))	USPAT; US-PGPUB	2004/05/20 18:37
-	0	("relational database\$" and SQL) and (SELECT near3 FROM)	USPAT; US-PGPUB	2004/05/20 18:37
-	4132	("relational database\$" and SQL) and (SELECT)	USPAT; US-PGPUB	2004/05/20 19:21
-	49	("relational database\$" and SQL) and (SELECT and JOIN and ON)	USPAT; US-PGPUB	2004/05/20 18:43
-	43	("relational database\$" and SQL) and (SELECT and JOIN and ON) and script	USPAT; US-PGPUB	2004/05/20 18:43
-	44	("relational database\$" and SQL) and (SELECT and JOIN and ON) and (script\$ report\$)	USPAT; US-PGPUB	2004/05/20 18:57
-	49	("relational database\$" and SQL) and (SELECT and JOIN and ON)	USPAT; US-PGPUB	2004/05/20 19:07
-	120	((("relational database\$" and SQL) and (INNER adj1 JOIN)) and table	USPAT; US-PGPUB	2004/05/20 19:08
-	21	((("relational database\$" and SQL) and (INNER adj1 JOIN)) and (generat\$3 with (report script))	USPAT; US-PGPUB	2004/05/20 19:21
-	21	((("relational database\$" and SQL) and (INNER adj1 JOIN)) and (generat\$3 with (report script))	USPAT; US-PGPUB	2004/05/20 19:10
-	5	("4805099" "5392390" "5418950" "5426781" "5463724").PN.	USPAT	2004/05/21 15:47
-	125	((standard near1 query near1 language) or SQL).ti.	USPAT; US-PGPUB	2004/05/21 15:58
-	89	((standard near1 query near1 language) or SQL).ti.	USPAT	2004/05/21 16:56

-	1	6424968.pn.	USPAT;	2004/05/21
-	65	((standard near1 query near1 language) or SQL) same ((select or from) and join and ((on near1 clause) or ((outer or inner) near1 join)))	US-PGPUB USPAT	16:46 2004/05/21 17:11
-	0	((standard near1 query near1 language) or SQL) same ((select or from) and join and on)	USPAT	2004/05/21 17:12
-	120	("relational database\$" and SQL) and (INNER adj1 JOIN)	USPAT;	2004/05/21
-	116	("relational database\$" and SQL) and (INNER adj1 JOIN)) and "SELECT"	US-PGPUB USPAT;	17:15 2004/05/21
-	0	("relational database\$" and SQL) and (INNER adj1 JOIN)) and ("SELECT" and "ON")	US-PGPUB USPAT;	17:19 2004/05/21
-	116	("relational database\$" and SQL) and (INNER adj1 JOIN)) and ("SELECT" and "JOIN")	US-PGPUB USPAT;	17:19 2004/05/21 17:33
-	66	SQL near3 advantag\$5	USPAT;	2004/05/21
-	24	(SQL near3 advantag\$5) and "JOIN"	US-PGPUB USPAT;	17:33 2004/05/21
-			US-PGPUB	17:34